

Greater Wellington Region Emissions Inventory 2021/22

09-Jun-2023

aecom.com

Delivering a better world

Greater Wellington Region Emissions Inventory 2021/22

Client: Greater Wellington Regional Council

Co No.: N/A

Prepared by

AECOM New Zealand Limited

Level 19, 171 Featherston Street, Pōneke|Wellington 6011, PO Box 27277, Pōneke|Wellington 6141, New Zealand T +64 4 896 6000 F +64 4 896 6001 www.aecom.com

09-Jun-2023

Job No.: 60699045

AECOM in Australia and New Zealand is certified to ISO9001, ISO14001 and ISO45001.

© AECOM New Zealand Limited (AECOM). All rights reserved.

AECOM has prepared this document for the sole use of the Client and for a specific purpose, each as expressly stated in the document. No other party should rely on this document without the prior written consent of AECOM. AECOM undertakes no duty, nor accepts any responsibility, to any third party who may rely upon or use this document. This document has been prepared based on the Client's description of its requirements and AECOM's experience, having regard to assumptions that AECOM can reasonably be expected to make in accordance with sound professional principles. AECOM may also have relied upon information provided by the Client and other third parties to prepare this document, some of which may not have been verified. Subject to the above conditions, this document may be transmitted, reproduced or disseminated only in its entirety.

Quality Information

Document	Greater Wellington Region Emissions Inventory 2021/22
Ref	60699045
Date	09-Jun-2023
Prepared by	Suzanne Lowe
Reviewed by	Adam Swithinbank

Revision History

Rev	Revision Date	Details	Authorised	
			Name/Position	Signature
1	09-June-2023	Final	Anthony Hume Associate Director - Practice Leader Sustainability & Resilience	Altry Ame

Table of Contents

Execut	tive Sumr	nary	1		
1.0	Introdu	uction	4		
2.0	Approa	ach and Limitations	4		
3.0	Emiss	ions Inventory for 2021/22	7		
	3.1	Agriculture	8		
	3.2	Transport	9		
	3.3	Stationary Energy	10		
	3.4	Waste	11		
	3.5	Industrial Processes and Product Use (IPPU)	11		
	3.6	Forestry	12		
	3.7	Net Emissions	13		
	3.8	Territorial Authorities in the Greater Wellington Region	14		
	3.9	Comparison to Other Regions	17		
	3.10	Total Gross Emissions by Greenhouse Gas	19		
	3.11	Biogenic Emissions	19		
4.0	Annua	al Emissions Change from 2018/19 to 2021/22	21		
	4.1	Agriculture	23		
	4.2	Transport	24		
	4.3	Stationary Energy	25		
	4.4	Waste	26		
	4.5	Industrial Processes and Product Use (IPPU)	27		
	4.6	Forestry	27		
5.0		al Emissions Change from 2000/01 to 2021/22	28		
6.0	Decou	pling of GHG emissions from population growth and GDP	29		
7.0	Update	Update to the 2018/19 Emissions Footprint			
8.0	Impact of the COVID-19 pandemic on GHG Emissions				
9.0	Closin	ig Statement	32		
10.0	Limitat	tions	33		
Appen	dix A				

Assumptions and Data Sources

Executive Summary

Greenhouse Gas (GHG) emissions for the Greater Wellington Region (that is covered by the Greater Wellington Regional Council) have been measured using the Global Protocol for Community Scale Greenhouse Gas Emissions Inventory (GPC) methodology. This approach includes emissions from Stationary Energy, Transport, Waste, Industrial Processes and Product Use (IPPU), Agriculture, and Forestry sectors. This document reports greenhouse gas emissions produced in or resulting from activity or consumption within the geographic boundaries of the Greater Wellington Region for the 2021/22 financial reporting year and examines greenhouse gas emissions produced from 2018/19 to 2021/22. The 2018/19 inventory has been updated since previous calculation in 2020 based on updated data and methodology changes.

The Greater Wellington Region is referred to hereafter as Greater Wellington for ease. Greenhouse gas emissions are generally reported in this document in units of carbon dioxide equivalents (CO₂e) and are referred to as 'emissions'.

Major findings of the project include:

2021/22 Emissions Footprint


- In the 2021/22 reporting year (1st July 2021 to 30th June 2022), Total Gross Emissions in Greater Wellington were 3,852,625 tCO₂e.
- Agriculture (e.g. emissions from livestock and crops) is the largest source of emissions accounting for 39% of Greater Wellington's total gross emissions, with enteric fermentation from livestock accounting for 76% of Agriculture emissions. 94% of Greater Wellington's Agriculture emissions are produced in the Wairarapa districts.
- **Transport** (e.g., emissions from road and air travel) is the second largest emitting sector in Greater Wellington, representing 35% of total gross emissions, with petrol and diesel consumption accounting for 28% of Greater Wellington's total gross emissions.
- **Stationary Energy** (e.g., emissions relating to electricity and natural gas consumption) is the thirdhighest emitting sector in the region, accounting for 17% of total gross emissions.
- Waste and Industrial Processes and Product Use (IPPU) represented 5% and 4% of Greater Wellington's total gross emissions respectively.
- Net Forestry emissions were -2,281,047 tCO₂e in 2021/22 as carbon sequestration (carbon captured and stored in plants or soil by forests) was higher than emissions from forest harvesting (e.g., the release of carbon from timber, roots, and organic matter following harvesting). Net Forestry emissions are not included in total gross emissions but in total net emissions.
- **Total Net Emissions** in Greater Wellington were 1,571,578 tCO₂e. Total net emissions includes sequestration and emissions release from forestry.

Changes in Annual Emissions, 2018/19 to 2021/22

- Between 2018/19 and 2021/22, Total Gross Emissions in Greater Wellington decreased by 9%, from 4,233,981 tCO₂e to 3,852,625 tCO₂e. This 381,356 tCO₂e decrease is driven by a 290,358 tCO₂e reduction in Transport emissions.
- Emissions in each territorial authority area in Greater Wellington decreased between 2018/19 and 2021/22, with the largest percentage change and the largest emissions change in Wellington City (15% and -156,834 tCO₂e, respectively).
- Over this time the population of the region increased by 2.7%, resulting in Per Capita Gross Emissions in Greater Wellington decreasing by 11% between 2018/19 and 2021/22, from 8.0 to 7.1 tCO₂e per person per year.
- Emissions from **Transport** decreased by 18%, between 2018/19 and 2021/22 (290,358 tCO₂e), driven by a reduction in air travel emissions and on-road petrol and diesel consumption. Note that COVID-19 has impacted this sector during this period.

- Emissions from Waste decreased by 15% between 2018/19 and 2021/22 (37,126 tCO₂e), mainly due to improvements in landfill gas capture.
- Emissions from **Stationary Energy** decreased by 5% between 2018/19 and 2021/22 (32,182 tCO₂e), mainly due to decreased use of fossil fuel electricity generation in the national grid.
- Emissions from Agriculture decreased by 1% (20,379 tCO₂e) and emissions from IPPU decreased by 1% (1,311 tCO₂e) between 2018/19 and 2021/22.
- Net Forestry sequestration increased by 545,702 tCO₂e between 2018/19 and 2021/22, from -1,735,345 tCO₂e to -2,281,047 tCO₂e. Emissions from exotic forestry decreased due to an increase in the area of exotic forest and emissions related to harvesting decreased by 20%.

Greater Wellington Emissions Inventory for 2021/22



Total Gross Emissions (excluding Forestry): 3,852,625 tCO₂e

Total Net Emissions (including Forestry): 1,571,578 tCO₂e

*IPPU = Industrial Processes and Product Use

Figure 1: Greater Wellington 2021/22 Emissions Footprint

https://aecomaus.sharepoint.com/sites/CCF/Shared Documents/GWRC CCF FY22/3. Reports/GWRC_EmissionsInventory_2022_Region_230609_Final.docx Revision 1 – 09-Jun-2023 Prepared for – Greater Wellington Regional Council – Co No.: N/A WASTE

INDUSTRIAL PROCESSES AND PRODUCT USE

Greater Wellington Emissions Change 2018/19-2021/22



Figure 2: Change in Greater Wellington Emissions Footprint between 2018/19 and 2021/22

-99

1.0 Introduction

AECOM New Zealand Limited (AECOM) was commissioned by the Greater Wellington Regional Council to assist in the development of community-scale greenhouse gas (GHG) footprints for the Greater Wellington Region for the 2020/21 and 2021/22 financial years. As part of this work, AECOM recalculated emissions for the 2018/19 financial year, previously calculated by AECOM, using current best-practice methods, updated data, and additional emission sources to enable direct comparison to the other reported years.

This is part of a wider study to develop emissions inventories for the Greater Wellington Region and each district within the Greater Wellington region. Emissions are reported for the period from 1 July to 30 June for the respective years. The study boundary reported in the following pages incorporates the jurisdiction of the Greater Wellington Regional Council.

The Greater Wellington Region is referred to hereafter as Greater Wellington for ease. Greenhouse gas emissions are generally reported in this document in units of carbon dioxide equivalents (CO₂e) and are referred to as 'emissions'.

2.0 Approach and Limitations

The methodological approach used to calculate emissions follows the Global Protocol for Community Scale Greenhouse Gas Emissions Inventory v1.1 (GPC) published by the World Resources Institute (WRI) 2021. The GPC includes emissions from Stationary Energy, Transport, Waste, Industrial Processes and Product Use (IPPU), Agriculture, and Forestry activities within the district's boundary. The sector calculations for Agriculture, Forestry, and Waste are based on Intergovernmental Panel on Climate Change (IPCC) workbooks and guidance for emissions measurement. The sector calculators also use methods consistent with GHG Protocol standards published by the WRI for emissions measurement when needed.

The same methodology has been used for other community scale GHG footprints around New Zealand, (e.g. the Bay of Plenty region, Hawke's Bay region, Auckland, Christchurch, Dunedin, and the Waikato region) and internationally. The GPC methodology¹ represents international best practice for city and regional level GHG emissions reporting and offers a robust, established method, which enables comparisons between different studies.

This emissions footprint assesses both direct and indirect emissions sources. Direct emissions are production-based and occur within the geographic area (Scope 1 in the GPC reporting framework). Indirect emissions are produced outside the geographic boundary (Scope 2 and 3) but are allocated to the location of consumption. An example of indirect emissions is those associated with the consumption of electricity, which is supplied by the national grid (these are classed as Scope 2). All other indirect emissions such as cross-boundary travel (e.g. flights) and energy transportation and distribution losses fit into Scope 3.

All major assumptions made during data collection and analysis have been detailed within **Appendix A** – **Assumptions**. The following aspects are worth noting in reviewing the emissions footprint:

- Emissions are calculated by collecting or estimating data for each emissions source and then converting that data into emissions (tCO₂e) using an emission factor. Emission factors enable an estimate of emissions from a unit of activity data (e.g. litres of fuel used)². This inventory uses applicable emission factors predominantly from the New Zealand Ministry of the Environment (MfE).
- Emissions are expressed on a carbon dioxide-equivalent basis (CO₂e) including climate change feedback using the 100-year Global Warming Potential (GWP) values³. Climate change feedbacks are the climate change impacts from GHGs that are increased as the climate changes. For example, once the Earth begins to warm, it triggers other processes on the surface and in the

² https://environment.govt.nz/publications/measuring-emissions-a-guide-for-organisations-2022-quick-guide/

https://aecomaus.sharepoint.com/sites/CCF/Shared Documents/GWRC CCF FY22/3. Reports/GWRC_EmissionsInventory_2022_Region_230609_Final.docx Revision 1 – 09-Jun-2023

¹ <u>http://www.ghgprotocol.org/greenhouse-gas-protocol-accounting-reporting-standard-cities</u>

³ https://www.ipcc.ch/pdf/assessment-report/ar5/wg1/WG1AR5_Chapter08_FINAL.pdf (Table 8.7)

Prepared for - Greater Wellington Regional Council - Co No.: N/A

atmosphere. Current climate change feedback guidance is important to estimate the long-term impacts of GHGs.

- GPC reporting is predominately production-based (as opposed to consumption-based) and focused on emissions released within the geographic boundary but includes indirect emissions from energy consumption and cross boundary travel from sources such as air travel. Production-based approaches exclude globally produced emissions relating to consumption (e.g., embodied emissions relating to products produced elsewhere but consumed within the geographic area, such as imported food products, cars, phones, clothes etc.).
- Total emissions are reported as both gross emissions (excluding Forestry) and net emissions (including Forestry).
- Emissions for individual main greenhouse gases for each emissions source are provided in the supplementary spreadsheet information supplied with this report.
- Where location specific data were not accessible, information was calculated based on national or regional level data.
- Transport emissions:
 - Transport emissions associated with air travel, rail, and marine fuel were calculated by working out the emissions relating to each journey arriving or departing the area based on data provided by the relevant operators. Emissions for these sources are then split equally between the destination and origin. Emissions relating to a particular point source (e.g. an airport or port) are allocated to the expected users of that source, not just the area that it is located in. For example, in the Greater Wellington region, the Wellington Airport is treated as a regional airport where it is expected that all territorial authorities will use Wellington Airport for air travel. Therefore, emissions from this source have been allocated to all regional territorial authorities based on population. This is also applicable to marine freight and inter-island marine journeys.
 - All other transport emissions are calculated using the fuel sold in the area (e.g. petrol, diesel, LPG). Fuel sold in an area does not always mean that the fuel is used in that area, however this approach is considered to be a robust and comparable estimate of fuel consumption in a geographic area.
- Solid waste emissions:
 - Solid waste emissions from landfill are measured using the IPCC First Order Decay method that covers landfill activity between 1950 and the present day, as per the GPC reporting requirements. This method accounts for the gradual release of emissions from waste over a long period of time, and so calculates the emissions produced per year from waste in landfill (including emissions from closed landfill sites).
 - Emissions are calculated for waste produced within the geographic boundary, even if they are transported outside the boundary to be entered into landfill.
- Wastewater emissions:
 - Wastewater treatment plant emissions have been calculated following WaterNZ (2021) guidance. Wastewater emissions include those released directly from wastewater treatment, flaring of captured gas and discharge onto land/water. Emissions relating to biosolid waste from wastewater treatment sent to landfill have been included in the solid waste emissions source category.
 - Wastewater emissions from populations not connected to centralised wastewater treatment plants have been estimated by assuming that these populations use septic tank systems.
- Industrial Processes and Product Use (IPPU) emissions:
 - IPPU emissions are estimated based on data provided in the New Zealand Greenhouse Gas Emissions 1990-2020 report (MfE 2022). Emissions are estimated on a per capita basis applying a national average per person.

- Forestry emissions:
 - This emissions footprint accounts for forest carbon stock changes from afforestation, reforestation, deforestation, and forest management (i.e. it applies land-use accounting conventions under the United Nations Framework Convention on Climate Change rather than the Kyoto Protocol). It treats emissions from harvesting and deforestation as instantaneous rather than accounting for the longer-term emission flows associated with harvested wood products.
 - The emissions footprint considers regenerating (growing) forest areas only. Capture of carbon from the atmosphere is negligible for mature forests that have reached a steady state.

Overall sector data and results for the emissions footprint have been provided to Greater Wellington Regional Council in calculation table spreadsheets. All assumptions made during data collection and analysis have been detailed within **Appendix A – Assumptions**.

Uncertainty

It is important to consider the level of uncertainty associated with the results, particularly given the different datasets used. Depending on data availability, national, regional, and local datasets are used across the different calculators. At the national level, New Zealand's Greenhouse Gas Inventory shows that for 2020 (the most recent nationwide inventory) an estimate of gross emissions uncertainty was $\pm 8.8\%$, whereas a net emissions uncertainty estimate was $\pm 26.9\%$ and uncertainty in the gross trend was $\pm 6.4\%$. These levels of uncertainty should be considered when interpreting the results of this emissions inventory (MfE, 2022⁴).

StatsNZ Regional Footprint

Emissions reported using the GPC method (as reported here) differ from the regional emissions estimates produced by StatsNZ. The differences are due to differences in scope, coverage, data sources, emission factors, and methods⁵.

Main differences:

- The StatsNZ approach is entirely based on production, while the GPC approach includes elements of consumption (e.g. where emissions from electricity are allocated to where the electricity is consumed, not where it is generated).
- The StatsNZ method uses a residence approach, while GPC is based on the territory approach.
- This report uses global warming potentials from the IPCC Fifth Assessment Report with climate change feedbacks, while the StatsNZ estimates use those from the Fourth Assessment Report, without climate change feedbacks.
- The StatsNZ estimates also don't include the scope 3 emissions reported here, such as cross boundary air travel and marine freight, or sequestration from forestry.

https://aecomaus.sharepoint.com/sites/CCF/Shared Documents/GWRC CCF FY22/3. Reports/GWRC_EmissionsInventory_2022_Region_230609_Final.docx

Revision 1 – 09-Jun-2023

⁴ <u>https://environment.govt.nz/assets/publications/GhG-Inventory/New-Zealand-Greenhouse-Gas-Inventory-1990-2020-Chapters-</u> 1-15.pdf

⁵ https://www.stats.govt.nz/methods/about-regional-greenhouse-gas-emissions-statistics/

3.0 Emissions Inventory for 2021/22

The paragraphs, figures, and tables below outline the greenhouse gas emissions, referred to as 'emissions' in this assessment, for Greater Wellington in the 2021/22 financial year. This includes Greater Wellington's total emissions, emissions from each sector, and major emissions sources within each sector. The focus of emissions reporting is on gross emissions.

During the 2021/22 reporting period, Greater Wellington emitted **Total Gross Emissions** of 3,852,625 tCO₂e. Agriculture and Transport emissions are the region's most significant contributors to total gross emissions. Note that gross emissions do not account for Forestry sequestration and harvesting emissions. A breakdown of net emissions (i.e. including results from Forestry resources) is reported separately in section 3.7.

The population of Greater Wellington in 2021/22 was approximately 543,500 people, resulting in per capita gross emissions of 7.1 tCO₂e/person. Discussion of per capita emissions is limited to when it is useful for comparing emission figures against other territorial authorities.




Figure 3: Greater Wellington's total gross GHG emissions split by sector (tCO2e).

The emissions inventory comprises emissions from six different sectors, summarised below. Due to rounding, there may be discrepancies between the sum of reported figures and reported totals.

The change in emissions from each emission source between 2018/19 and 2021/22 is presented in section 4.0. This includes analysis of notable changes in emissions.

3.1 Agriculture

The highest emitting sector in Greater Wellington in 2021/22, Agriculture, produced 1,509,193 tCO₂e in (39% of Greater Wellington's gross emissions).

Agricultural emissions are the result of both livestock and crop farming within the geographic area. Enteric fermentation from livestock produced 76% of Greater Wellington's agricultural emissions (1,153,259 tCO₂e). Enteric fermentation GHG emissions are produced by methane (CH₄) released from the digestive process of ruminant animals (e.g., cattle and sheep). The second highest source of Agricultural emissions was produced by unmanaged manure from grazing animals on pasture (167,609 tCO₂e).

Table 1 Agriculture emissions by emission source

Sector / Emissions Source	tCO ₂ e	% of Total Gross Emissions	% of Sector Total
Enteric Fermentation	1,153,259	29.9%	76.4%
Unmanaged Manure on Pasture	167,609	4.4%	11.1%
Agricultural Leaching and Deposition (manure, urine, and fertiliser)	114,383	3.0%	7.6%
Managed Manure	40,274	1.0%	2.7%
Fertilisers on Land	33,668	0.9%	2.2%
Total	1,509,193	39.2%	100%

Livestock was responsible for the majority of the Agriculture sector's GHG emissions. Sheep account for 46% of agricultural emissions, though account for 83% of livestock in Greater Wellington (1,255,713 sheep). Dairy cattle and non-dairy cattle account for 25% and 26% of agricultural emissions in Greater Wellington respectively. In 2021/22, there were an estimated 91,598 dairy cattle, and 153,619 non-dairy cattle, accounting for 6% and 10% of livestock.

It is important to note that these agricultural results do not include emissions related to the consumption of agricultural products supplied to Greater Wellington from outside the Region as per the GPC reporting requirements.

Table 2	Agriculture emissions by emission source
---------	--

Sector / Emissions Source	tCO ₂ e	% of Total Gross Emissions	% of Sector Total
Sheep	688,323	18.1%	45.6%
Non-Dairy Cattle	394,001	10.4%	26.1%
Dairy Cattle	372,115	9.8%	24.7%
Fertiliser	43,081	1.1%	2.9%
Other livestock	11,674	0.3%	0.8%
Total	1,509,193	39.7%	100%

3.2 Transport

Producing 1,337,293 tCO₂e in 2021/22, Transport was Greater Wellington's second-highest emitting sector (35% of total gross emissions).

Table 3 Transport energy emissions by emission source

Sector / Emissions Source	tCO ₂ e	% of Total Gross Emissions	% of Sector Total
Petrol	607,860	15.8%	45.5%
Diesel	481,982	12.5%	36.0%
Jet Kerosene (Air Travel)	112,172	2.9%	8.4%
Marine Fuel (Freight)	71,595	1.9%	5.4%
Marine (Inter-Island Ferries)	49,248	1.3%	3.7%
Rail (Diesel)	5,081	0.1%	0.4%
LPG	4,603	0.1%	0.3%
Rail (Electric)	1,979	0.1%	0.1%
Marine Diesel (Local)	1,953	0.1%	0.1%
Aviation Gas (Air Travel)	579	<0.1%	<0.1%
Bus (Electric)	238	<0.1%	<0.1%
Marine (Electric)	7	<0.1%	<0.1%
Total	1,337,293	34.7%	100%

Most of the Transport emissions in 2021/22 can be attributed to petrol and diesel, which produced 607,860 tCO₂e and 481,982 tCO₂e respectively (collectively 82% of the sector's emissions and 28% of total gross emissions). Diesel and petrol transport emissions are broken down into on-road and off-road use (see Table 4). On-road transport consists of all standard road vehicles (cars, trucks, buses, etc.). Off-road transport consists of all fuel used for vehicle movement off roads (agricultural tractors and vehicles, forklifts, etc.). On-road transport produced 992,273 tCO₂e in 2021/22 (74% of Transport emissions and 26% of total gross emissions) and off-road transport produced 102,409 tCO₂e (8% of Transport emissions).

An additional breakdown of on-road emissions by vehicle type is provided in a stand-alone report provided alongside this report.

Table 4 Petrol and diesel emissions – on-road and off-road

Sector / Emissions Source	tCO₂e	% of Total Gross Emissions	% of Sector Total
Petrol - On-Road	602,280	15.6%	45.0%
Diesel - On-Road	389,754	10.1%	29.1%
Diesel - Off-Road	92,227	2.4%	6.9%
Petrol - Off-Road	5,580	0.1%	0.4%
Petrol and Diesel Total	1,098,841	28.3%	81.5%

The next largest Transport emission source for Greater Wellington in 2021/22 is jet kerosene (aircraft jet fuel), contributing 8% of the sector's emissions and 3% of total gross emissions (112,172 tCO₂e). Jet

kerosene emissions are based on the fuel consumed by aircraft journeys to and from Wellington, with emissions split equally between the origin and destination location. It is important to note that jet kerosene emissions for Greater Wellington in 2021/22 were 60% lower than in 2018/19, largely due to the restriction on international travel due to the COVID-19 pandemic (see section 8.0), it is likely that emissions from this source will increase in 2022/23.

The remaining Transport emissions are attributed to marine freight, inter-island ferries, local marine transport (port vessels and local ferries, rail (both freight and electric commuter trains), aviation gas (used by small aircraft), and LPG use for transport (e.g., forklifts).

It is understood that marine freight imports and exports through the port in Greater Wellington are not exclusively related to activities in the Greater Wellington region; however, to ensure that these emissions are reflected in emissions inventories as per the GPC requirements, all emissions have been allocated to the Wellington Region. A similar consideration has been applied to aircraft emissions relating to Wellington Airport and inter-island ferry journeys. All assumptions have been detailed in the appendix.

3.3 Stationary Energy

Stationary Energy produced 651,841 tCO₂e in 2021/22, contributing 17% to Greater Wellington's total gross emissions.

Emissions Source	tCO ₂ e	% of Total Gross Emissions	% of Sector Total
Electricity Consumption	277,012	7.2%	42.5%
Natural Gas	218,264	5.7%	33.5%
Stationary Petrol & Diesel Use	55,619	1.4%	8.5%
LPG	36,483	0.9%	5.6%
Electricity Transmission & Distribution Losses	29,380	0.8%	4.5%
Natural Gas Transmission & Distribution Losses	17,643	0.5%	2.7%
Biofuel / Wood	12,531	0.3%	1.9%
Coal	4,854	0.1%	0.7%
Biogas	55	<0.1%	<0.1%
Total:	651,841	16.9%	100%

 Table 5
 Stationary Energy emissions by emission source

Electricity consumption was the cause of 43% of Stationary Energy emissions in 2021/22 (277,012 tCO₂e) and 7% of Greater Wellington's total gross emissions (306,392 tCO₂e when including transmission and distribution losses related to the consumption). Electricity consumption emissions depend on the amount of consumption (in kWh), and the emissions intensity of the national grid (tCO2e/kWh). The emissions intensity of the national grid is determined by overall national electricity generation in a particular year (e.g. from fossil fuels or renewable sources). Overall, national electricity generation can fluctuate year on year based on factors such as low rainfall reducing hydropower generation levels, resulting in changes to electricity consumption emissions even when consumption levels haven't changed. This can be seen between 2020/21 and 2021/22 where, despite no significant change in consumption, electricity consumption emissions were 35% higher in 2020/21 than in 2021/22 due to increased use of fossil fuel generation that year caused by reduced hydro generation (see Section 4.3).

Natural gas consumption accounted for 34% of Stationary Energy emissions in 2021/22 (218,264 tCO₂e) and 6% of Greater Wellington's total gross emissions (235,907 tCO₂e when including transmission and distribution losses related to the consumption).

Use of LPG generated 6% of Stationary Energy emissions in 2021/22 (36,483 tCO₂e). The burning of petrol and diesel, coal, biofuels, and landfill biogas used for energy generation, produced the remaining Stationary Energy emissions.

Biogenic CO_2 emissions from biofuels have not been included in these totals and are reported separately in section 3.11.

3.4 Waste

Waste originating in Greater Wellington (solid waste and wastewater) produced 203,811 tCO₂e in 2021/22.

Sector / Emissions Source	tCO ₂ e	% of Total Gross Emissions	% of Sector Total
Closed Landfill Sites	97,431	2.5%	47.8%
Open Landfill Sites	69,405	1.8%	34.1%
Wastewater Treatment Plants	18,238	0.5%	8.9%
Individual Septic Tanks	14,328	0.4%	7.0%
Composting	4,409	0.1%	2.2%
Total:	203,811	5.3%	100%

Table 6 Waste emissions by emission source

Landfill waste produced the bulk of waste emissions (166,836 tCO₂e in 2021/22), making up 82% of total waste emissions. Solid waste emissions include emissions from open (operating) landfill sites and closed landfill sites and represent emissions from waste sent to landfill from Greater Wellington since 1950. Both open and closed landfills emit landfill (methane) gas from the breakdown of organic materials disposed of in the landfill for many years after waste enters the landfill. Open landfill sites produced 69,405 tCO₂e in 2021/22, and closed landfill sites produced 97,341 tCO₂e in 2021/22.

Wastewater treatment (treatment plants and individual septic tanks) accounted for 16% of total waste emissions in 2021/22 (32,566 tCO₂e). Most households in Greater Wellington (88%) are connected to wastewater treatment plants, producing total emissions of 18,238 tCO₂e in wastewater emissions. Households not connected to centralised wastewater treatment plants (i.e., using individual septic tanks) produced 14,328 tCO₂e in wastewater emissions. Due to methane production, septic tanks have a higher emissions intensity per quantity of wastewater compared to the wastewater treatment plants in Greater Wellington.

Waste diverted from landfill for composting in Greater Wellington includes horticultural, animal waste products, green waste, bark, and sawdust. Diverted organic waste produced 4,409 tCO₂e in 2021/22. Composting of organic waste results in a much lower climate change impact from greenhouse gasses than when disposed of in a landfill. This figure does not include household composting.

3.5 Industrial Processes and Product Use (IPPU)

IPPU in Greater Wellington produced 150,486 tCO₂e in 2021/22, contributing 4% to Greater Wellington's total gross emissions. This sector includes emissions associated with the consumption of industrial products and synthetic gases containing GHGs for refrigerants, foam blowing, fire extinguishers, aerosols, metered dose inhalers, and Sulphur Hexafluoride for electrical insulation and equipment production. No known industrial processes (as defined in the GPC requirements) are present in Greater Wellington (e.g., aluminium manufacture).

IPPU emissions do not include energy use for industrial manufacturing, which is included in the relevant Stationary Energy sub-category (e.g., coal, electricity, and/or petrol and diesel). These emissions are based on nationally reported IPPU emissions and apportioned based on population due to the difficulty of allocating emissions to particular geographic locations. Addressing IPPU emissions is typically a national policy issue.

Table 7 provides the total emissions, percentage of the total gross emissions, and percentage of the sector total for each sector/emission source. The most significant contributor to IPPU emissions is refrigerants, which produced 93% of IPPU emissions (140,008 tCO₂e).

Sector / Emissions Source	tCO ₂ e	% of Total Gross Emissions	% of Sector Total
Refrigerants and Air Conditioning	140,008	3.6%	93.0%
Aerosols	7,801	0.2%	5.2%
SF6 - Electrical Equipment	1,525	<0.1%	1.0%
Foam Blowing	612	<0.1%	0.4%
SF6 – Other	299	<0.1%	0.2%
Fire Extinguishers	240	<0.1%	0.2%
Total	150,486	3.9%	100.0%

Table 7 Industrial processes and product use emissions by emission source

3.6 Forestry

Net Forest emissions include:

- Sequestration of carbon from the atmosphere from native forests (e.g. mānuka and kānuka) and exotic forest (e.g. pine) sequesters (captures) while the trees are growing to maturity and,
- emissions released due to harvesting of forests via the release of carbon from organic matter and soils following harvesting.

When forest sequestration exceeds emissions from harvesting in a particular year, the extra carbon sequestered by forest reduces annual total emissions. Conversely, when emissions from harvesting exceed the amount of carbon sequestered by native and exotic forests, then total gross emissions will increase.

Sequestration in 2021/22 was -3,396,617 tCO₂e (mostly from exotic forests), while harvesting emissions were 1,115,570 tCO₂e. This meant that Forestry in Greater Wellington was a net negative source of emissions in 2021/22 (rather than a positive source of emissions, where harvesting emissions exceed sequestration). Total Net Forestry emissions in 2021/22 were -2,281,047 tCO₂e. It is noted that the harvesting of exotic forests can be cyclical in nature. Some years will have higher sequestration, and some years will have higher harvesting emissions determined by the age of forests, commercial operators, and the global market.

Table 8	Forestry emissions by emission source (including sequestration)
---------	---

Sector / Emissions Source	tCO ₂ e
Harvest Emissions	1,115,570
Native Forest Sequestration	-887,575
Exotic Forest Sequestration	-2,509,042
Total (Net Forestry)	-2,281,047

3.7 Net Emissions

Net emissions differ from gross emissions because they include emissions related to forestry activity (harvesting emissions and sequestration). The cyclical nature of harvesting and planting regimes influences the observed forestry emissions, which in 2021/22 were a net-negative source of emissions. During the 2021/22 reporting period, Greater Wellington emitted total net emissions of 1,571,578 tCO₂e.

Figure 4 shows total gross emissions and total net emissions in 2021/22, and the difference from total gross emissions due to the impact of forestry sequestration and harvesting.




Figure 4 Total gross emissions and total net emissions in 2021/22, showing the impact of forestry sequestration and harvesting

3.8 Territorial Authorities in the Greater Wellington Region

The Greater Wellington regional area contains several territorial authorities including Wellington City Council, Wellington City Council, Kāpiti Coast District Council, Hutt City Council, Upper Hutt City Council, Masterton District Council, Carterton District Council, and South Wairarapa District Council.

Figure 5 shows the Greater Wellington Region total gross emissions divided by territorial authority. Figure 6 shows total gross emissions for the territorial authorities in the Greater Wellington Region, split by sector.

Wellington City is the highest emitting territorial authority in the region, representing 23% of Greater Wellington's total gross emissions. Wellington City's emissions inventory is predominantly transport-related emissions with the next largest emitting territorial authorities; Masterton and South Wairarapa containing significant agricultural emissions. Of the eight territorial authorities within the Greater Wellington region, Upper Hutt has the lowest total gross emissions, with emissions mostly from Transport and Stationary Energy.




Figure 5 Greater Wellington's total gross emissions divided by territorial authority (tCO2e).




Figure 6 Total gross emissions by territorial authority in the Greater Wellington region (tCO₂e).

When comparing emissions inventories from different areas, a per capita figure can be useful because it provides a common reference point to understand the difference in emissions. Figure 7 shows emissions per capita for the territorial authorities within the Greater Wellington Region.




Figure 7 Total gross emissions per capita for the territorial authorities within the Greater Wellington Region (tCO₂e).

The Greater Wellington region has a 7.1 tCO₂e/per capita figure for total gross emissions which is lower than the national value of 15.7 tCO₂e/per capita. Upper Hutt has the lowest per capita total emissions at 4.0 tCO₂e/per capita. South Wairarapa and Carterton have the largest per capita total gross emissions at 51.4 tCO₂e/per capita and 33.3 tCO₂e/per capita respectively, both due to high Agriculture emissions in the district. Masterton has the third highest per capita emissions at 27.4 tCO₂e/per capita, again due to Agriculture emissions in the district. South Wairarapa, Carterton and Masterton also have the highest per capita transport emissions in the region (5.3 tCO₂e/per capita, 5.2 tCO₂e/per capita and 3.4 tCO₂e/per capita, respectively). Wellington City has the highest Stationary Energy emissions per capita in the region (1.5 tCO₂e/per capita).

The Region's per capita emissions are particularly influenced by emissions in the Wellington City area with almost 40% of the population of the Region living in Wellington City. At the other end of the scale, the Wairarapa districts represent just 9% of the Region's population. Despite this, the Wairarapa districts produce almost all of the Region's agricultural emissions, leading to per capita agricultural emissions of 2.8 tCO₂e/per capita. This figure is still relatively low for a region of Aotearoa New Zealand, with the majority of the population in urban areas. The second highest per capita emissions are from Transport, at 2.5 tCO₂e/per capita. This figure is influence by higher per capita Transport emissions in the more rural areas of the region, but is offset by low per capita Transport emissions in Wellington City.

3.9 Comparison to Other Regions

When compared with other regions of Aotearoa New Zealand, Greater Wellington has lower total gross emissions each of the regions displayed in Figure 8. Notably, with the exception of Auckland, Greater Wellington has the lowest Agricultural emissions. Also, with the exception of Hawkes Bay, Greater Wellington also has the lowest Transport emissions.

Note that the compared emissions inventories were conducted for different years, and there also may exist some differences in the methodology or data used, especially between Auckland and the other regions as that inventory was not calculated by AECOM.




Figure 8 Total gross emissions for Greater Wellington and other regions of Aotearoa New Zealand

When comparing different regional carbon footprints, a per capita figure can be useful because it provides a common reference point to understand the difference in emissions. Greater Wellington has lower per capita total gross emissions than each of the compared emissions inventories in Figure 9, with Auckland also quite low at (8.1 tCO₂e/capita). This is particularly due to low per capita Agriculture and Transport emissions, with only Auckland having lower per capita agriculture emissions. Greater Wellington also has the lowest per capita Stationary Energy emissions of the compared inventories.




Figure 9 Total gross emissions per capita for Greater Wellington and other regions of Aotearoa New Zealand, and nationally (note, for New Zealand 'Stationary Energy' includes Transport emissions)

3.10 Total Gross Emissions by Greenhouse Gas

Each greenhouse gas has a different level of impact on climate change, this is accounted for when converting quantities of each gas into units of carbon dioxide equivalent (CO₂e).

Greenhouse Gas	Tonnes	Tonnes of CO ₂ e
Carbon Dioxide (CO ₂)	1,923,943	1,923,943
Biogenic Methane (CH ₄)	40,590	1,380,075
Non-biogenic Methane (CH ₄)	1,424	48,411
Nitrous Oxide (N ₂ O)	1,173	349,697
Other / Unknown Gas (in CO2e)	154,282	154,282
Total	2,121,413	3,856,408

Table 9: Greater Wellington total gross emissions, by greenhouse gas

By far the largest source of emissions in tonnes is carbon dioxide (CO₂) at 1,923,943 tonnes. Due to the greater global warming impact of methane, methane represents 2% of the total tonnage of GHG emissions from Greater Wellington but represents 37% of CO₂e. Nitrous oxide represents 0.1% of the total tonnage of GHG emissions from Greater Wellington but represents 9% of CO₂e. The majority of methane and nitrous oxide emissions are livestock and waste related.

3.11 Biogenic Emissions

Biogenic carbon dioxide and methane emissions are stated in Table 10 and Table 11, respectively.

Biogenic CO_2 emissions result from the combustion of biomass materials that store and sequester CO_2 , including materials used to make biofuels (e.g., trees, crops, vegetable oils, or animal fats). Biogenic CO_2 emissions from plants and animals are excluded from the gross and net emissions reported in this inventory as they are considered to be part of the natural carbon cycle as per the Global Protocol (GPC) guidance.

Table 10: Biogenic CO₂ in Greater Wellington (Excluded from gross emissions)

Biogenic Carbon Dioxide (CO ₂) (Excluded from gross emissions)				
Biofuel	127,017	t CO ₂		
Landfill Gas	46,965	t CO ₂		
Total Biogenic CO ₂	173,982	t CO ₂		

Biogenic CH₄ emissions (e.g., produced by farmed cattle via enteric fermentation) are included in gross emissions due to their relatively large impact on global warming relative to biogenic CO₂. Biogenic methane represents 2% of the gross total tonnage of GHG emissions in Greater Wellington but represents 36% of total gross GHG emissions when expressed in CO₂e. This is caused by the higher global warming impact of methane per ton, compared to carbon dioxide. The total tonnage of each GHG and the contribution of each GHG to total gross emissions when expressed in CO₂e is shown in Table 9.

The importance of biogenic CH₄ is highlighted in NZ's Climate Change Response (Zero Carbon) Amendment Act. The Act includes specific targets to reduce biogenic CH₄ by between 24% and 47% below 2017 levels by 2050, and by 10% below 2017 levels by 2030. More information on the Act is available here: <u>https://www.mfe.govt.nz/climate-change/zero-carbon-amendment-act</u>.

Biogenic Methane (CH ₄) (Included in gross emissions)				
Enteric Fermentation	33,919	t CH4		
Landfill Gas	4,900	t CH4		
Manure Management	1,185	t CH ₄		
Wastewater Treatment	660	t CH ₄		
Biofuel	170	t CH₄		
Composting (Green Waste)	75	t CH4		
Total Biogenic CH₄	40,939	t CH₄		

Table 11: Biogenic Methane in Greater Wellington (Included in gross emissions)

4.0 Annual Emissions Change from 2018/19 to 2021/22

Alongside calculating Greater Wellington's emissions inventory for 2021/22, Greater Wellington's emissions inventory for 2019/20 and 2020/21 has been calculated, and the previously published 2018/19 inventory has been recalculated. The 2018/19 inventory has been updated to account for updates in data and calculation best-practice and to align with the other reporting years. This section displays the results of the 2018/19, 2019/20, 2020/21, and 2021/22 emissions inventories with a focus on gross emissions and documents the change in emissions from 2018/19 to 2021/22.

This section is cautious in examining the interpretation of changes, due to the footprint only assessing one financial year (2018/19) prior to the COVID-19 pandemic disruptions. An analysis of the impact of the COVID-19 pandemic on Greater Wellington's emissions is found in Section 8.0.

	2018/19 (tCO ₂ e)	2019/20 (tCO ₂ e)	2020/21 (tCO ₂ e)	2021/22 (tCO ₂ e)	% Change (2018/19 to 2021/22)
Total Net Emissions (including Forestry)	2,498,636	2,020,739	1,836,974	1,571,578	-37.1%
Total Gross Emissions (excluding Forestry)	4,233,981	4,119,113	4,118,021	3,852,625	-9.0%

 Table 12
 Change in Greater Wellington total gross and net emissions from 2018/19 to 2021/22




Figure 10 Change in Greater Wellington total gross emissions from 2018/19 to 2021/22

Annual total gross emissions decreased by 9% from 4,233,981 tCO₂e in 2018/19 to 3,852,625 tCO₂e in 2021/22. Annual total net emissions in Greater Wellington decreased by 37% from 2,498,636 in 2018/19 to 1,571,578 tCO₂e in 2021/22. The decrease in both gross and net emissions was driven by a reduction in Transport emissions primarily related to air travel and on-road fuel use. The impact of COVID-19 pandemic restrictions can be especially seen in air travel emissions where emissions were 62% lower in 2021/22 compared to 2018/19.

The population of Greater Wellington remained steady between 2018/19 and 2021/22 (increasing by 2.7%). Owing to the decrease in total gross emissions, per capita total gross emissions between 2018/19 and 2021/22 decreased from 8.0 to 7.1 tCO₂e per person per year. A discussion of the decoupling of gross emissions from population growth and GDP is found in Section 6.0.

The sections below outline the change in emissions between 2018/19 and 2021/22 for each sector and emissions source, highlighting the changes that have had the largest impact on total gross emissions. Due to rounding, there may be discrepancies between the sum of reported figures and reported totals.




Figure 11 Emissions for each sector of Greater Wellington gross emissions footprint for 2018/19 and 2021/22

4.1 Agriculture

T-1.1. 40	Observes in One stan Walling stands. A uniquity service size of frame OD40/40 to OD04/00
Table 13	Change in Greater Wellington's Agriculture emissions from 2018/19 to 2021/22

Sector / Emissions Source	2018/19 (tCO₂e)	2019/20 (tCO ₂ e)	2020/21 (tCO ₂ e)	2021/22 (tCO ₂ e)	% Change (2018/19 to 2021/22)
Livestock Enteric Fermentation	1,168,589	1,237,280	1,153,259	1,153,259	-1%
Unmanaged Manure on Pasture	171,559	180,535	167,609	167,609	-2%
Agricultural Leaching and Deposition (Manure, Urine, and Fertiliser)	116,799	122,771	114,383	114,383	-2%
Managed Manure	38,512	43,818	40,274	40,274	5%
Fertilisers on Land	34,113	34,861	33,668	33,668	-1%
Total	1,529,572	1,619,266	1,509,193	1,509,193	-1%

The Agriculture sector's emissions decreased by 1% between 2018/19 and 2021/22 (20,379 tCO₂e). This decrease is driven by a reduction in total livestock numbers, especially sheep.

Sheep represented 83% of total livestock in Greater Wellington in 2021/22 and 46% of agricultural emissions. Emissions related to sheep decreased by 10% (76,552 tCO₂e) due to an 10% reduction in the number of sheep (from 1,395,716 sheep to 1,225,713 sheep).

Non-dairy cattle represented 10% of total livestock in Greater Wellington in 2021/22 and 26% of agricultural emissions, this is due to their greater emissions footprint compared to sheep. Emissions related to non-dairy cattle increased by 4% (15,331 tCO₂e) due to a 2% increase in the number of non-dairy cattle (from 149,976 cattle to 153,619 cattle).

Dairy cattle represented 6% of total livestock in Greater Wellington in 2021/2022 and 25% of agricultural emissions, this is due to their greater emissions footprint compared to sheep and non-dairy cattle. Emissions related to dairy cattle increased by 13% (42,490 tCO₂e) due to a 12% increase in the number of dairy cattle (from 81,962 to 91,598).

4.2 Transport

T-1.1. 44	
l able 14	Change in Greater Wellington Transport emissions from 2018/19 to 2021/22

Sector / Emissions Source	2018/19 (tCO ₂ e)	2019/20 (tCO ₂ e)	2020/21 tCO ₂ e)	2021/22 (tCO ₂ e)	% Change (2018/19 to 2021/22)
Petrol	679,928	606,979	671,494	607,860	-11%
Diesel	514,249	479,363	514,866	481,982	-6%
Jet Kerosene (Air Travel)	270,744	199,955	75,689	112,172	-59%
Marine Fuel (Freight)	82,987	62,822	71,764	71,595	-14%
Marine (Inter- Island Ferries)	65,232	66,006	67,364	49,248	-25%
Rail (Diesel)	4,981	4,716	5,081	5,081	2%
LPG	4,450	4,477	4,648	4,603	3%
Rail (Electric)	2,360	2,404	3,162	1,979	-16%
Marine Diesel (Local)	2,084	2,084	2,084	1,953	-6%
Aviation Gas (Air Travel)	580	579	579	579	<0.1%
Bus (Electric)	57	58	80	238	317%
Marine (Electric)	0	0	0	3	-
Total	1,627,651	1,429,443	1,416,810	1,337,293	-18%

Transport emissions decreased by 18% between 2018/19 and 2021/22 (319,056 tCO₂e). This was driven by a 158,572 tCO₂e decrease in Jet Kerosene (aircraft fuel) emissions and a 97,318 tCO₂e reduction in on-road fuel use emissions.

Jet Kerosene emissions decreased by 59% due to a reduction in flights, especially of international flights, with international passenger numbers down 91% and domestic passenger numbers down 39% between 2019/20 and 2021/22⁶. This is likely the impact of COVID-19-related restrictions on travel and the slow pace of recovery of the aviation industry. It is expected that emissions from this source will increase in 2022/23.

On-road fuel use emissions (petrol and diesel) decreased by 9%, with a 11% decrease in on-road petrol emissions. This source was also likely impacted by COVID-19 with restrictions on travel in both 2019/20 and 2021/22 in Greater Wellington.

Emissions related to the inter-island ferries decreased by 25% between 2018/19 and 2021/22 (15,983 tCO₂e), this is due to a change in fuel use for some journeys by one of the operators of this service, from heavy fuel oil to diesel, which has a lower emissions impact.

Marine freight emissions decreased by 14% between 2018/19 and 2021/22 (11,392 tCO₂e). It is, however, important to note that maritime freight emissions for Wellington tend to fluctuate year-to-year based on distance travelled by vessels, size of vessels, and the number of visits in a particular year (for example, emissions from marine freight in 2021/22 are 14% higher than in 2019/20.

Increases in electric bus and electric ferry emissions reflect shifts from higher-emitting diesel fuels to electric transport options in Greater Wellington.

Revision 1 – 09-Jun-2023

⁶ <u>https://www.wellingtonairport.co.nz/business/investor-services/traffic-reports/</u> https://aecomaus.sharepoint.com/sites/CCF/Shared Documents/GWRC CCF FY22/3. Reports/GWRC_EmissionsInventory_2022_Region_230609_Final.docx

Prepared for - Greater Wellington Regional Council - Co No.: N/A

4.3 Stationary Energy

Table 15 Change in Greater Wellington's Stationary Energy emissions from 2018/19 to 2021/22

Sector / Emissions Source	2018/19 (tCO ₂ e)	2019/20 (tCO ₂ e)	2020/21 (tCO₂e)	2021/22 (tCO ₂ e)	% Change (2018/19 to 2021/22)
Electricity Consumption	299,198	315,336	423,687	277,012	-7%
Natural Gas	224,607	221,707	229,484	218,264	-3%
Stationary Petrol & Diesel Use	59,570	55,335	59,574	55,619	-7%
LPG	35,276	35,490	36,843	36,483	3%
Electricity Transmission and Distribution Losses	26,133	27,577	39,390	29,380	12%
Natural Gas Transmission and Distribution Losses	18,157	17,923	18,551	17,643	-3%
Biofuel / Wood	12,604	12,572	12,543	12,531	-1%
Coal	8,436	10,500	5,080	4,854	-42%
Biogas	42	54	54	55	29%
Total:	684,024	696,492	825,205	651,841	-5%

Emissions from Stationary Energy decreased by 5% between 2018/19 and 2021/22 (32,182 tCO₂e). This was driven by a decrease in electricity consumption emissions due to changes in the emissions intensity of the national grid.

Electricity consumption in Greater Wellington (in kWh) increased by 6% between 2018/19 and 2021/22. However, emissions from this source decreased by 7% due to a 13% decrease in the emissions intensity of the national electricity grid (tCO₂e/kWh). The emissions intensity of the national grid decreased due to a reduction in coal and gas generation as renewable generation sources made up a greater proportion of national generation (especially hydropower). It is important to note that the emissions intensity of New Zealand's national grid fluctuates year on year, primarily driven by water levels in the hydropower system (as can be seen in the increase in emissions from 2019/20 to 2020/21 and subsequent decrease again in 2021/22).

Other notable changes can be seen in natural gas use which decreased by 3% (6,344 tCO₂e) and stationary petrol and diesel use which decreased by 7% (3,951 tCO₂e). Coal use, which decreased by 42% (by 3,581 tCO₂e) represents transitions away from coal use for energy to lower emission options.

The increase in biogas emissions represents greater capture and burning of landfill gas for energy generation, which is a lower emission option that allowing landfill gasses to be released into the atmosphere.

4.4 Waste

Table 16	Change in Greater Wellington Waste emissions from 2018/19 to 2021/22
	onange in oreater weinington waste enissions nom zoro, to to zoz i/zz

Sector / Emissions Source	2018/19 (tCO ₂ e)	2019/20 (tCO ₂ e)	2020/21 (tCO₂e)	2021/22 (tCO ₂ e)	% Change (2018/19 to 2021/22)
Closed Landfill Sites	117,097	111,403	103,692	97,431	-17%
Open Landfill Sites	87,601	74,306	74,653	69,405	-21%
Wastewater treatment plants	18,451	19,155	19,449	18,238	-1%
Individual Septic Tanks	13,939	14,140	14,776	14,328	3%
Composting (Green Waste)	3,848	3,572	3,503	4,409	15%
Total	240,937	222,576	216,072	203,811	-15%

Total Waste emissions reduced by 15% between 2018/19 and 2021/22 (37,126 tCO₂e); this was driven by improvements in the landfill biogas capture systems at open landfill sites. At the open landfill sites that process Greater Wellington's landfill waste, the total landfill emissions decreased by 21% between 2018/19 and 2021/22 despite increases in annual waste volumes sent to landfill over the last 10 years.

Closed landfill site emissions made up 48% of Greater Wellington's Waste emissions in 2021/22. Closed landfill sites in Greater Wellington emitted more than open landfill sites due to the presence of biogas capture systems at the currently operational (open) landfill sites which are not present at any closed landfill sites. Annual emissions from closed landfill sites reduced by 17% between 2018/19 and 2021/22. As no additional waste enters these sites, annual emissions from this source will continue to fall over time.

Emissions from Individual Septic Tanks are determined based on an estimate of the population of Greater Wellington not connected to centralised wastewater treatment plants. Emissions from this source increased by 3% due to an increase in the estimate of the population not connected to centralised wastewater treatment, in line with population growth.

Wastewater treatment plant emissions decreased 1% between 2018/19 and 2021/22 (214 tCO₂e), but have fluctuated slightly year to year.

Diverted commercial composting emissions increased by 15% between 2018/19 and 2021/22 due to an increase in the volume of organic waste composted. This represents a shift towards diverting more organic material from landfill sites to composting, which is a lower emission option.

4.5 Industrial Processes and Product Use (IPPU)

Table 17 Change in Greater Wellington IPPU emissions from 2018/19 to 2021/22

Sector / Emissions Source	2018/19 (tCO ₂ e)	2019/20 (tCO ₂ e)	2020/21 (tCO₂e)	2021/22 (tCO ₂ e)	% Change (2018/19 to 2021/22)
Refrigerants and Air Conditioning	140,405	140,457	140,244	140,008	-0.3%
Aerosols	8,836	8,200	7,814	7,801	-12%
SF6 - Electrical Equipment	1,393	1,495	1,528	1,525	10%
Foam Blowing	616	639	613	612	-1%
SF6 - Other	302	301	300	299	-1%
Fire Extinguishers	245	243	241	240	-2%
Total	151,798	151,335	150,740	150,486	-1%

IPPU emissions decreased between 2018/19 and 2021/22, by 1% (1,311 tCO₂e). A decrease in aerosol emissions mainly drives the decrease in IPPU emissions. This may be a decrease in the quantity used or an increase in the use of lower emissions-impacting aerosols. Note that national-level data is used for this sector and is portioned out using a population approach; actual emissions for the city are unknown.

4.6 Forestry

Sector / Emissions Source	2018/19 (tCO ₂ e)	2019/20 (tCO ₂ e)	2020/21 (tCO ₂ e)	2021/22 (tCO ₂ e)	% Change (2018/19 to 2021/22)
Total Harvest Emissions	1,389,737	1,120,221	1,115,570	1,115,570	-20%
Native Forest Sequestration	-887,575	-887,575	-887,575	-887,575	0%
Exotic Forest Sequestration	-2,237,507	-2,331,020	-2,509,042	-2,509,042	12%
Total	-1,735,345	-2,098,374	-2,281,047	-2,281,047	31%

 Table 18
 Change in Greater Wellington Forestry emissions from 2018/19 to 2021/22

Net Forestry sequestration (including harvesting emissions) increased by $545,702 \text{ tCO}_2\text{e}$ between 2018/19 and 2021/22, from -1,735,345 tCO₂e to -2,281,047 tCO₂e.

Forestry harvesting emissions decreased 20%, by 274,167 tCO₂e between 2018/19 and 2021/22. Forestry emissions are influenced by the cyclical nature of harvesting and planting regimes, where some years will have higher sequestration and some years will have higher harvesting emission. This depends on the age of forests and the demand for lumber and timber. Improved and updated data sources may impact the estimation of emissions from this source in the future.

Exotic forest sequestration increased by 12% (271,535 tCO₂e) due to increased areas planted in exotic forests. Sequestration by native forests remained unchanged during this time as the same data has been used for each year; however, it is unlikely that there have been significant changes.

5.0 Annual Emissions Change from 2000/01 to 2021/22

Alongside the four years calculated as part of this inventory, annual emissions in Greater Wellington have also been calculated by AECOM for the period from 2000/01 to 2017/18 (updated in 2020). This means we can examine the trend over the last 22 years, from 2000/01 to 2021/22 (see Figure 12).

Note that there have been updates to data, emission factors, and methodology since these results were last updated so caution should be taken when comparing the results of this inventory with the results from previous years. To account for significant changes in transport and waste (see section 7.0) the 2000/01-2017/18 inventory results have been adjusted at a high level.




Figure 12 Change in Greater Wellington total gross emissions from 2000/01 to 2021/22

From 2000/01 to 2021/22 annual Total Gross Emissions have decreased by 15%, driven by long-term downwards trends in Stationary Energy, Agriculture, and Waste in the region.


Key trends in annual emissions from 2000/01-2021/22:

- Stationary Energy emissions have decreased by 27%, largely due to an increase in renewable electricity generation as a proportion of the nation's total electricity generation.
- Agriculture emissions have decreased by 12% driven by a reduction in livestock numbers in the region.
- Waste emissions have decreased by 51% due to improvements to landfill sites, especially through landfill gas capture technology.
- Transport emissions have decreased by 8%, however they had been generally increasing up to 2018/19 and have decreased by 20% since then, impacted by COVID-19 disruptions on air travel and on-road travel.
- IPPU emissions have increased by 382% from a very small starting point, increasing from 1% to 4% of Total Gross Emissions. This follows the national trend.

6.0 Decoupling of GHG emissions from population growth and GDP

Decoupling of emissions is when emissions grow less rapidly than the growth of an economy (measured in Gross Domestic Product (GDP)). The term decoupling expresses the desire to mitigate emissions without harming economic well-being. The exact drivers for the decoupling of emissions from GDP are generally difficult to pinpoint. New policies, for restructuring the way to meet demand for energy, food, transportation, and housing will all contribute. Both direct local actions (e.g. landfill gas reductions) and indirect national trends (e.g. changes to emissions from electricity generation) can contribute to emissions decoupling. A complete discussion of the decoupling of emissions is beyond this project's scope.

Figure 13 shows the changes in gross emissions when compared to changes in other metrics of interest between 2018/19 and 2021/22. For example, total gross emissions have decreased by 9%, whilst population in Greater Wellington has increased by 3%, resulting in a 11% reduction in total gross emissions per capita. Similarly, Gross Domestic Product (GDP) in Greater Wellington has increased by 9%, resulting in an 17% decrease in the GHG emissions ratio to GDP. The data suggests that potentially a high-level, decoupling of the emissions covered by this assessment from economic growth has occurred between 2018/19 and 2021/22 in Greater Wellington. However, it is noted that emissions calculated as part of this assessment are based on production-based emissions. Emissions calculated as part of a consumption-based assessment may present a different outcome.



Greater Wellington Changes from 2018/19 to 2021/22

Figure 13 Change in total gross emissions compared to other metrics of interest

https://aecomaus.sharepoint.com/sites/CCF/Shared Documents/GWRC CCF FY22/3. Reports/GWRC_EmissionsInventory_2022_Region_230609_Final.docx Revision 1 – 09-Jun-2023 Prepared for – Greater Wellington Regional Council – Co No.: N/A

7.0 Update to the 2018/19 Emissions Footprint

Improvements to the methodology, improvements in available data, and updates to emission factors since the 2018/19 Community Carbon Footprint (Emissions Inventory) was first published in 2020, have meant that the 2018/19 footprint results are required to be updated to allow direct comparison with the 2019/20, 2020/21, and 2021/22 inventory years.

The previous 2018/19 inventory results and updated 2018/19 inventory results are presented in Table 19.

Critical reasons for the change to results between these footprints are outlined below:

- Stationary Energy emissions have been adjusted due to improvements in data and methodology changes, notably the natural gas and electricity data and emission factors, and a difference in the allocation of diesel and petrol sales to stationary energy purposes.
- Transportation emissions have been adjusted due to data improvements and methodology changes. Notably, the marine freight and inter-island ferry calculations have been updated based on best-practice guidance for cross-boundary transport emissions. Emissions from marine fuel used by Port-owned vessels have also been calculated where it was not previously included.
- Waste emissions have been adjusted due to updates to the estimate of landfill gas capture system efficiency at the open landfill sites, the estimate of historical waste (1950-1999), the population not connected to centralised wastewater treatment, and the inclusion of emissions from diverted organic waste composting (not previously included). Wastewater treatment plant emissions calculations have been updated to align with WaterNZ guidance (2021).
- IPPU emissions have been adjusted due to a change in data and emission factors provided by the Ministry for the Environment (MfE).
- Agriculture emissions have been adjusted due to improvements in data based on regional trends since the 2017 territorial authority-level census and changes in MfE emission factors.
- Forestry emissions have been adjusted due to improvements in published data and emission factors.

Table 19	Reported GHG emissions in Greater Wellington for 2018/19, showing the change in emissions between those
	previously reported (2020) and the updated results (2023)

	2018/19 previous inventory (2020) – tCO₂e	2018/19 updated inventory (2023) – tCO ₂ e
Stationary Energy	735,469	684,024
Transportation	1,655,812	1,627,651
Waste	206,848	240,937
IPPU	157,691	151,798
Agriculture	1,434,230	1,529,572
Forestry	-1,637,323	-1,735,345
Total Net Emissions (incl. forestry)	2,552,727	2,498,636
Total Gross Emissions (excl. forestry)	4,190,050	4,233,981

Future emissions inventories for Greater Wellington may also require adjustments to the emission results reported here due to improvements to the inventory process.

8.0 Impact of the COVID-19 pandemic on GHG Emissions

COVID-19 impacted New Zealand and the entire world during 2020 and 2021; causing widespread government-imposed restrictions on businesses and individuals and huge shifts in behaviours and economic markets. Restrictions in New Zealand relating to COVID-19 began in mid-March 2020 with many personal and business restrictions continuing past the end of 2019/20 and throughout 2021/22.⁷

Globally, carbon dioxide emissions from fossil fuels (the largest contributor to greenhouse gas emissions) in 2020 decreased by 7% compared to 2019⁸. Emissions from the transportation sector account for the largest share of this decrease. Surface transport, e.g. car journeys, fell by approximately half at the peak of COVID-19 restrictions in April 2020 (when restrictions were at their maximum, particularly across Europe and the U.S. Globally, emissions recovered to near 2019 levels in 2021 and are expected to continue to increase.

In New Zealand, national daily carbon dioxide emissions are estimated to have fallen by up to 41% during the level 4 lockdown in April 2020⁹. National gross emissions decreased by 3% from 2018/19 to 2019/20, which was largely driven by a decrease in fuel use in road transport due to COVID-19 pandemic restrictions, a decrease in fuel use in manufacturing industries and construction due to COVID-19 restrictions, and a decrease in fuel use from domestic aviation also due to COVID-19 restrictions.

Total gross emissions in Greater Wellington decreased by 381,356 tCO₂e (9%) between 2018/19 (pre-COVID-19) and 2021/22. An 18% decrease in Transport emissions (290,358 tCO₂e) accounts for the vast majority of this change. Notably, Transport emissions reduced by 12% between 2018/19 and 2019/20, driven by reduced road and air transport fuel use (see Figure 14). Air travel emissions in particular have been impacted by COVID-19 with emissions 62% lower in 2020/21 than in 2018/19 especially due to a reduction in international flights. It is expected that air travel emissions will rise to near pre-COVID-19 levels in 2022/23 in the Wellington Region. On-road transport emissions were also impacted by COVID-19, especially through restrictions on travel for periods of time in 2019/20 and 2021/22.

Despite changes in Stationary Energy, Agriculture, Waste, and IPPU emissions, these sectors are not judged to have been significantly affected by COVID-19. Of note, electricity consumption has increased during this time with annual emissions affected by the sources of national generation of electricity in each year. We cannot say with confidence whether energy consumption, or other changes have been significantly affected by COVID-19.




Figure 14 Greater Wellington Transport emissions per transport method for 2018/19, 2019/20, 2020/21, and 2021/22 (tCO₂e)

- ⁹ Corinne Le Quere et al. Temporary Reduction in Daily Global CO₂ Emissions During the COVID-19 Forced Confinement https://aecomaus.sharepoint.com/sites/CCF/Shared Documents/GWRC CCF FY22/3. Reports/GWRC_EmissionsInventory_2022_Region_230609_Final.docx
- Revision 1 09-Jun-2023

⁷ https://covid19.govt.nz/alert-system/history-of-the-covid-19-alert-system/

⁸ Pierre Friedlingstein et al. - Global Carbon Budget 2020 (2020)

Prepared for - Greater Wellington Regional Council - Co No.: N/A

9.0 Closing Statement

The Greater Wellington GHG emissions inventory provides information for decision-making and action by the council, Greater Wellington stakeholders, and the wider community. We encourage the council to use the results of this study to update current climate actions plans and set emission reduction targets.

The emissions footprint developed for Greater Wellington covers emissions produced in the Stationary Energy, Transport, Waste, IPPU, Agriculture, and Forestry sectors using the GPC reporting framework. Sector-level data allows Greater Wellington to target and work with the sectors that contribute the most emissions to the footprint.

Understanding of the extensive and long-lasting effects of climate change is improving all the time. It is recommended that this full emissions inventory be updated regularly (every two or three years) to inform ongoing positive decision making to address climate change issues. Use of real-time data for major emissions sources and consideration of consumption-based emissions, can also add to understanding of emissions across the region.

The accuracy of any emissions footprint is limited by the availability, quality, and applicability of data. Areas where data could be improved for future footprints include forestry (forest cover and harvesting), agriculture (especially livestock numbers), wastewater, and on and off-road transport fuel use. Where this Report indicates that information has been provided to AECOM by third parties, AECOM has made no independent verification of this information except as expressly stated in the Report. AECOM assumes no liability for any inaccuracies in or omissions to that information. This Report was prepared between January 2023 and June 2023 and is based on the information reviewed at the time of preparation. AECOM disclaims responsibility for any changes that may have occurred after this time. This Report should be read in full. No responsibility is accepted for use of any part of this report in any other context or for any other purpose or by third parties. This Report does not purport to give legal advice.

Legal advice can only be given by qualified legal practitioners. Except as required by law, no other party should rely on this document without the prior written consent of AECOM. Where such agreement is provided, AECOM will provide a letter of reliance to the agreed third party in the form required by AECOM. To the extent permitted by law, AECOM expressly disclaims and excludes liability for any loss, damage, cost, or expenses suffered by any third party relating to or resulting from the use of, or reliance on, any information contained in this Report. AECOM does not admit that any action, liability, or claim may exist or be available to any third party. It is the responsibility of third parties to independently make inquiries or seek advice in relation to their particular requirements and proposed use of the information.

Appendix A

Assumptions and Data Sources

Sector / Category	Assumption and Data Sources			
General				
Coographical	LGNZ local council mapping boundaries have been applied.			
Geographical Boundary	The emissions inventory for each territorial authority covers the entirety of the territorial authority area.			
	Population figures are provided by StatsNZ.			
Population	Financial year populations have been used, these are based on the average population from the two calendar years (e.g., the average of 2020 and 2021 calendar year populations for 2020/21).			
Climate Change Feedback	Emissions are expressed on a carbon dioxide-equivalent basis (CO ₂ e) including climate change feedback using the 100-year Global Warming Potential (GWP) values.			
	Climate change feedbacks are the climate change impacts from GHGs that are increased as the climate changes. For example, once the Earth begins to warm, it triggers other processes on the surface and in the atmosphere. Current climate change feedback guidance is important to estimate the long-term impacts of GHGs.			
	Emissions for individual main greenhouse gases for each emissions source are provided in the supplementary spreadsheet information supplied with this report.			
GPC Production Approach	GPC reporting is predominately production-based (as opposed to consumption-based) but includes indirect emissions from energy consumption.			
	Production-based emissions reporting is generally preferred by policy-makers due to robust established methodologies such as the GPC, which enables comparisons between different studies. Production-based approaches exclude globally produced emissions relating to consumption (e.g., embodied emissions relating to products produced elsewhere but consumed within the geographic area such as imported food products, cars, phones, clothes etc.).			
	A breakdown of emissions by scope (1, 2 and 3) is included in the supplementary spreadsheet information supplied with this report.			
Emission Factors	All emission factors have detailed source information in the calculation tables within which they are used. This inventory uses applicable emission factors predominantly from the New Zealand Ministry of the Environment (MfE). Where possible, the most up to date, NZ-specific emission factors have been applied.			
	AR5 Global Warming Potential (GWP) figures for greenhouse gases have been used accounting for climate change feedbacks.			
Transport Emissions				
Petrol and Diesel:	Total petrol and diesel sales data was provided by Wellington City Council for Wellington City Council, Porirua City Council, Kāpiti Coast District Council, Hutt City Council and Upper Hutt City Council. Total petrol and diesel sales data was provided by Masterton District Council for South Wairarapa District Council, Masterton District Council and Carterton District Council.			
	Sales data have then been then apportioned out to the territorial authorities within the region based on the total distance travelled by vehicles in each territorial authority in the financial year (known as Vehicle Kilometres Travelled or VKT).			

	Allocating fuel consumption across a region based on VKT does not account for the likely makeup of the vehicle fleet of a particular geographic area (e.g. where a more rural area may use more diesel, or a more urban area may have more hybrid or electric vehicles travelling).
	Fuel sold in an area does not always mean that the fuel is used in that area, however this approach is considered to be a robust and comparable estimate of fuel consumption in a geographic area.
	Total petrol and diesel fuel use was then divided by likely end use. The division into transport and stationary energy end use (and within transport, on-road and off-road) was calculated using fuel end use data provided by the Energy Efficiency and Conservation Authority (EECA) in April 2020.
	- On-road transport is defined as all standard transportation vehicles used on roads e.g. cars, bikes, buses.
	 Off-road transport is defined as machinery for agriculture, construction and other industry used off-roads.
	 Stationary energy petrol and diesel use is defined as fuel not used for transport either on or off roads. Petrol and diesel used for stationary energy has been reported in the Stationary Energy sector.
Rail Diesel	Consumption was calculated by KiwiRail using the Induced Activity method for system boundaries. The following assumptions were made:
	 Net Weight is product weight only and excludes container tare (the weight of an empty container) The Net Tonne-Kilometres (NTK) measurement has been used. NTK is the sum of the tonnes carried, multiplied by the distance travelled. National fuel consumption rates have been used to derive litres of fuel for
	 distance. Type of locomotive engine used, and jurisdiction topography, have not been incorporated in the calculations.
	Using the induced activity method, the trans-boundary routes were determined, and the number of stops taken along the way derived. The total litres of diesel consumed per route was then split between the departure territorial authority, arrival territorial authority and any territorial authority the freight stopped at along the way. If the freight travelled through but did not stop within a territorial authority, no emissions were allocated.
	Data was not available for 2021/22 therefore the 2020/21 value has been used for 2021/22.
	This data is subject to commercial confidentiality.
Jet Kerosene	Calculated using the Induced Activity method as per rail diesel.
(Scheduled Flights)	An estimate of fuel use was calculated for flights arriving and departing from Wellington Airport:
Aviation Gas (General Aviation)	 The schedule of flights arriving and departing from Wellington Airport containing details on the aircraft used for each flight was used to calculate fuel consumption. Flight distances and aircraft fuel burn rates were used for these calculations. As per the induced activity method, only 50% of emissions calculated per one-way arrival and departure were allocated to Wellington Airport. The remaining 50% of each leg was allocated to the originating or destination airport. An estimation of fuel use from military, freight, private, and other flights for 2020/21 and 2021/22 have been estimated based on data provided in 2020.
	Wellington Airport has been treated as a regional airport, so emissions have been split between the territorial authorities in the region on a population basis.

Г

	Fuel use by aircraft using Kāpiti Coast Airport has also been accounted for using the same methodology, with all emissions allocated to Kāpiti Coast District.
Aviation Gas	Aviation gas is mostly used by small aircraft for relatively short flights.
	Data for Wellington Airport was not available at the time of writing, so an assumption has been made based on similar sized airports in New Zealand. This is the same assumption used in the previous 2019/20 inventory.
	Wellington Airport has been treated as a regional airport, so emissions have been split between the territorial authorities in the region on a population basis.
	Fuel use by aircraft using Kāpiti Coast Airport has also been accounted for using the same methodology, with all emissions allocated to Kāpiti Coast District.
	There are a number of small aerodromes and runways across the region. Due to the difficulty of obtaining data, emissions related to flights from these locations have been excluded. It is likely that these emissions would have been very small in relation to other sources, and so would fit below the materiality threshold.
Marine Diesel -	Calculated using the Induced Activity method as per rail diesel and jet kerosene.
Freight	An estimate of fuel use was calculated for flights arriving and departing from CentrePort (Wellington Port):
	 The schedule of vessels arriving and departing from Wellington Port containing details on size of the vessel was used to calculate fuel consumption. Shipping distances and vessel fuel burn rates were used for these calculations. As per the induced activity method, only 50% of emissions calculated per one-way arrival and departure were allocated to Wellington Port. The remaining 50% of each leg was allocated to the originating or destination Port.
	International shipping passing through CentrePort was split by weight of cargo into 'Logs' and 'All other cargo'. Emissions generated by 'All other cargo' has been allocated on a per capita basis between all territorial authorities in the Wellington Region. Emissions generated by 'logs' was split between territorial authorities, proportionally, by the percentage share of district forest area of harvest age (>26 years old).
Marine Diesel	Port operational vessels:
(Local)	- Fuel use has been provided directly from Wellington Port (CPL) for 2020/21
	- The 2020/21 figure has also been used for 2019/20 and 2021/22
	- All emissions from this source have been allocated to Wellington City
	Local ferries:
	- Diesel fuel use has been provided directly by the ferry operator
	- Electricity use has been provided directly by the ferry operator (beginning in 2021/22)
	- All emissions from this source have been allocated to Wellington City
	Private use, other commercial operators, and commercial fishing:
	 Most small private boats use fuel purchased at vehicle gas stations so this consumption will be included in off-road transport petrol and diesel emissions.
	- No data was available to determine emissions from other commercial operators, and commercial fishing

Marine fuels -	Data has been provided by the ferry operators in commercial confidence.
Inter-island ferries	Assumptions of fuel use have been used where data was not provided.
Cruise Ships	No reliable data was available to determine the emissions from cruise ships (only relevant to 2019/20 as there were no cruise ship visits in 2020/21 and 2021/22).
LPG	Total North Island consumption data was used and then split on a per capita basis to determine the territorial authority's consumption. National LPG end use data has been used to breakdown consumption into stationary energy and transport usage, these are then reported separately in their respective categories.
Stationary Energy	Emissions
Consumer Energy End Use	Stationary energy demand (e.g. electricity use, natural gas, etc.) is broken down by the sector in which they are consumed. We report stationary energy demand in the following categories: industrial (which includes agriculture, forestry, and fishing); commercial; and residential. These sectors follow the Australia New Zealand Standard Industrial Classification 2006 definitions.
	In addition to agriculture, forestry and fishing, the industrial sector includes mining, food processing, textiles, chemicals, metals, mechanical/electrical equipment and building and construction activities.
	Emissions from petrol and diesel used for stationary energy are not broken down into these sectors.
	Energy demand used for transport is reported in the transport sector.
Electricity Consumption	Electricity demand has been calculated using grid demand trends from the EMI website (www.emi.ea.govt.nz) to obtain raw grid exit point data for each territorial authority area. Reconciled demand has been used as per EMI's confirmation.
	The breakdown into sectors is based on NZ average consumption per sector (residential, commercial, and industrial).
Public Transport Electricity	Electricity used in the public transport system is included in the Transport sector (where known).
Private Transport Electricity	Electricity used for private transport (e.g. electric cars, electric bikes, electric micro-mobility) has not been separated from other stationary energy electricity consumption due to a lack of reliable data.
Coal Consumption	National coal consumption data has been provided by MBIE for all years (2022). Regional industrial coal data has been provided by EECA.
	National residential and commercial coal consumption has been divided between territorial authorities on a per capita basis.
	Regional industrial coal consumption has been divided between territorial authorities on a per capita basis, where relevant.

Biofuel and Wood	National biofuel consumption data has been provided by the Ministry for Business, Innovation and Employment (MBIE 2021).
Consumption	Biofuel consumption has been divided between territorial authorities on a per capita basis.
	Biofuel emissions are broken down into Biogenic emissions (CO ₂) and Non-Biogenic emissions (CH ₄ and N ₂ O).
	The latest year's data available is for 2019. 2019/20, 2020/21, and 2021/22 use the 2019 figure, adjusted for population change.
LPG Consumption	North Island LPG sales data (tonnes) has been provided by the LPG Association for 2020 and 2021. Data interpolated between known data points or copied from the most recent data point where data is not available.
	'Auto' and 'Forklift' sales represent transport uses of LPG. All other sales represent stationary energy uses of LPG.
	Sales have been divided between territorial authorities on a per capita basis.
	The breakdown into sectors (Residential, Commercial, and Industrial) is based on NZ average consumption per sector as per MfE data.
Petrol and Diesel (stationary energy end use)	Total petrol and diesel sales data was provided by Wellington City Council for Wellington City Council, Porirua City Council, Kāpiti Coast District Council, Hutt City Council and Upper Hutt City Council. Total petrol and diesel sales data was provided by Masterton District Council for South Wairarapa District Council, Masterton District Council and Carterton District Council.
	Sales data have then been then apportioned out to the territorial authorities within the region based on the total distance travelled by vehicles in each territorial authority in the financial year (known as Vehicle Kilometres Travelled or VKT).
	Allocating fuel consumption across a region based on VKT does not account for the likely makeup of the vehicle fleet of a particular geographic area (e.g. where a more rural area may use more diesel, or a more urban area may have more hybrid or electric vehicles travelling).
	Fuel sold in an area does not always mean that the fuel is used in that area, however this approach is considered to be a robust and comparable estimate of fuel consumption in a geographic area.
	Total petrol and diesel fuel use was then divided by likely end use. The division into transport and stationary energy end use (and within transport, on-road and off-road) was calculated using fuel end use data provided by the Energy Efficiency and Conservation Authority (EECA) in April 2020.
	 On-road transport is defined as all standard transportation vehicles used on roads e.g. cars, bikes, buses.
	- Off-road transport is defined as machinery for agriculture, construction and other industry used off-roads.
	 Stationary energy petrol and diesel use is defined as fuel not used for transport either on or off roads. Petrol and diesel used for stationary energy has been reported in the Stationary Energy sector.

Г

Natural Gas Consumption	Natural gas consumption data has been provided by FirstGas. Territorial Authorities supplied by gas from each Point of Connection (POC) have been confirmed by FirstGas.
Biogenic Emissions (CO ₂)	Some carbon dioxide (CO_2) emissions are considered to be biogenic. These are CO_2 emissions where the carbon has been recently derived from CO_2 present in the atmosphere (for example, some agricultural and waste emissions). These emissions are not included in calculating total CO_2e .
Agricultural Emiss	ions
Agriculture	Territorial authority livestock numbers and fertiliser data taken from the Agricultural Census (StatsNZ). The last territorial authority census was in 2017. Regional agricultural data from StatsNZ (2021) has been used to estimate the change in livestock and fertiliser use since 2017. Due to the gap in data for 2021/22, the 2020/21 figure has been used for 2021/22.
Solid Waste Emis	sions
Landfill Emissions	Landfill waste volume and landfill gas capture system information has been provided by the respective council departments.
	Solid waste emissions from landfill are measured using the IPCC First Order Decay method that covers landfill activity between 1950 and the present day, as per the GPC reporting requirements. This method accounts for the gradual release of emissions from waste over a long period of time, and so calculates the emissions produced per year from waste in landfill (including emissions from closed landfill sites).
	Waste volume:
	 Where information is not available, waste volumes have been estimated based on historical national data on a per capita basis.
	Landfill gas capture system efficiency:
	 Efficiency and coverage of the system used in the emissions calculations has been provided by the respective councils based on recorded or estimated data.
	Landfill gas flaring / burning for energy generation:
	 There is biogas energy generation at Southern Landfill which is a site used by some councils in the Wellington Region. The percentage of landfill gas flared or burned for energy generation used in the calculations has been taken from data provided by WCC in relation to the calculation of Southern Landfill's Unique Emissions Factor (UEF) for 2019/20 and 2021/22. Emissions relating to burning of landfill gas for energy generation have been included in the Stationary Energy sector. Emissions are allocated to territorial authorities based on where the waste was produced, even if the waste is disposed in landfill outside the territorial authority:
	 Information on the origin and destination of waste produced in each territorial area has been provided by the respective councils based on recorded or estimated data.
Wastewater Emis	sions

Wastewater	All wastewater emissions have been calculated following the WaterNZ (2021) guidance.
Treatment	Wastewater Treatment Plants:
	 Calculation of emissions includes emissions released directly from wastewater treatment, flaring of captured gas and from discharge onto land/water. Where data was not available assumed values have been used based on the WaterNZ (2021) guidance Emissions relating to discharge of biosolids sent to landfill (if present) have been included in the Solid Waste emissions source. Emissions are allocated to territorial authorities based on where the wastewater was produced, even if the wastewater is treated outside the territorial authority.
	Individual Septic Tanks:
	 Populations not connected to known centralised wastewater treatment plants are assumed to be using septic tanks.
Industrial Emission	DNS
Industrial Processes	It is assumed that there are no significant non-energy related emissions of greenhouse gasses from industrial processes in the Region (e.g. aluminium manufacture).
Industrial Product Use	National data covering industrial product use (e.g., fire extinguishers, refrigerants) have been estimated based on data provided in the New Zealand Greenhouse Gas Emissions 1990-2020 report (MfE 2022). Emissions are estimated on a per capita basis applying a national average per person.
Forestry Emissio	ns
Exotic Forestry Harvested and Exotic Forest coverage	Harvested forestry, and forest cover information for each territorial authority has been derived from Landcare Research data. This emissions footprint accounts for forest carbon stock changes from afforestation, reforestation, deforestation, and forest management (i.e., it applies land-use accounting conventions under the United Nations Framework Convention on Climate Change rather than the Kyoto Protocol). It treats emissions from harvesting and deforestation as instantaneous rather than accounting for the longer-term emission flows associated with harvested wood products.
	The emissions footprint considers regenerating (growing) forest areas only. Capture of carbon from the atmosphere is negligible for mature forests that have reached a steady state.
Native Forest	Native forest land area for each territorial authority has been provided by Landcare Research.